	Application No.	Applicant(s)
Notice of Allowability	10/037,277	HAMMONDS ET AL.
	Examiner	Art Unit
	Karin M. Reichle	3761
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to	plication. If not included will be mailed in due course. THIS
1. This communication is responsive to <u>7-12-04</u> .		
2. The allowed claim(s) is/are <u>20-27</u> .		
3. The drawings filed on are accepted by the Examine	r.	
 4. ☐ Acknowledgment is made of a claim for foreign priority unallocation. a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	been received. been received in Application No	
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the requirements
 A SUBSTITUTE OATH OR DECLARATION must be submi INFORMAL PATENT APPLICATION (PTO-152) which give 		
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") muss (a) ☐ including changes required by the Notice of Draftspers 1) ☐ hereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the deposit of the deposit of	on's Patent Drawing Review (PTO- s Amendment / Comment or in the C .84(c)) should be written on the drawing the header according to 37 CFR 1.121(c sit of BIOLOGICAL MATERIAL r	Office action of the back) of d). nust be submitted. Note the
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ⊠ Interview Summary Paper No./Mail Dat 8), 7. ⊠ Examiner's Amendr	te nent/Comment ent of Reasons for Allowance

Application/Control Number: 10/037,277 Page 2

Art Unit: 3761

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

- 2. Authorization for this examiner's amendment was given in a telephone interview with Mr. Ralph Dean on August 10, 2004.
 - 3. The application has been amended as follows:

In Claim 20(Patent Claim 1),

Line 28: before "wings", insert --temporarily overlapped-- and before "one", insert --the--;

Lines 23 and 28: change "fastening" to --fastener--.

In Claim 21(Patent Claim 3),

Line 2: before "wing", insert --other--;

Lines 3-4: delete "therebetween...article";

Line 4: before "fastener", insert --first-- and change "one" to --other--.

In Claim 24(Patent Claim 6),

Line 1: change "18" to --26--.

In Claim 25(Patent Claim 8),

Line 1: change '19" to --27--.

Add the following two claims:

Art Unit: 3761

26. (New) The method of claim 20, further comprising the step of providing each first fastener component in the form of a mechanical hook material and each cooperating fastener component in the form of a loop material.

27. (New) The method of claim 20, further comprising the steps of disengaging the wings after use and utilizing the selectively releasable interengaging fasteners to secure the article in a configuration convenient for disposal.

Claims 18-19 are cancelled.

4. Claims 1-17 were cancelled.

Claims 20-27 are allowed.

- 5. The following changes to the drawings have been approved by the examiner and agreed upon by applicant: see attached marked up drawings. In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.
- 6. The following is an examiner's statement of reasons for allowance: No extension of time was required because a Notice of Appeal was filed 8-5-04. The photomicrographs filed 7-12-04 were approved by the Draftsman. The drawing changes filed 7-12-04 were approved by the Examiner. Remaining objections have been overcome by the amendment to the drawings in Paragraph 5, supra. The terminology "a personal care article" as set forth in claim 20, line 1, is interpreted in light of the specification at page 1, lines 3-4, i.e. "such as sanitary napkins, incontinence pads and the like". See also paragraph 7 of the 7-10-03 Office Action. The prior art references, alone or in any combination, do not teach providing the article as set forth on lines 3-22 of claim 20 to the user, which user then performs the steps on lines 23 et seq of claim 20 so

Application/Control Number: 10/037,277

Art Unit: 3761

as to perform a method for securement as set forth on lines 1-2 of claim 20. This also applies to claims 21-27.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Karin M. Reichle whose telephone number is (703) 308-2617. The examiner can normally be reached on Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Calvert can be reached on (703) 308-1025. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Karin M. Reichle Primary Examiner Art Unit 3761

KMR August 10, 2004